

Pierceton Rubber Products, Inc.

A Safer TOMORROW, Begins TODAY!

PG. 1 **FEATURING
DYNACUSHION™!**

DYNABOULDER™

DYNACUSHION™

**SOFTLANDING
PLAY TILES**

PLAY PETS™

Pierceton Rubber Products, Inc.

3076 S. 900 E., Pierceton, IN 46562

Toll free: 1-800-714-1302

Phone: 574-594-3002 • Fax: 574-594-3018

Email: info@dynacushion.com

www.dynacushion.com



A complete line of safety surfacing options from the leader in surfacing.

DYNACUSHION™ WEAR MATS

The patented **DynaCushion Wear Mat™** is constructed of 100% recycled tire rubber, and is designed to eliminate erosion around playground equipment and kick out areas at all play structure exits. The **DynaCushion** has excellent shock absorbency characteristics with a certified 6 ft. fall height, therefore making it the best value in the industry.

SPECIFICATIONS

- R20C4872 - 4'x6'x2" - 192 lbs.
- R20C4848 - 4'x4'x2" - 128 lbs.
- R20C4836 - 4'x3'x2" - 96 lbs.
- R20C4824 - 4'x2'x2" - 64 lbs.
- R13C4872 - 4'x6'x1-1/4" - 144 lbs.
- R13C4848 - 4'x4'x1-1/4" - 96 lbs.
- R13C4836 - 4'x3'x1-1/4" - 72 lbs.
- R13C4824 - 4'x2'x1-1/4" - 48 lbs.

The **DynaCushion** provides you with durability, performance, and guaranteed impact attenuation.

PERFORMANCE WARRANTY

DynaCushion Wear Mat is guaranteed to be in compliance with ASTM F1292-94 and F1951, designed to provide a new level of confidence and protection.

PRODUCT WARRANTY

DynaCushion Wear Mats carry a 5 year limited product warranty against defective materials and manufactures workmanship of the product.

DURABLE

No other wear mat can match the innovative design of the DynaCushion Wear Mat, stability, longevity, durability, and resistance to wear.

CERTIFICATION

DynaCushion Wear Mat is certified to meet ASTM requirements for impact attenuation.

Fall Protection
Up to 6'

Physical Properties

Test Description	Test Ref.	Results
Wear Resistant	ASTM D3884	Passed
Slip Resistant	ASTM F-1677	Passed
Non Flammable	ASTM 2859	Passed
Non Toxic	ASTM 2075	Lead: Not Detected

You Know the Problem...



Meet the Solution






DynaCushion™ Wear Mats



The ideal wear mat for under swingsets and slides. (high-traffic locations)

Easy to install, stays in place. No troublesome and costly cables, stakes, or concrete pads.





**BEVELED
SURFACE MATS**

Beveled Surface mats are used under swings, slide exits, and anywhere stability, durable, longevity, and resilient surface is required. Meet ADA accessibility, ASTM requirement for impact attenuation, and CPSC requirements.

**PRODUCT
WARRANTY**

Beveled Surface Mats carry a 5 year limited product warranty against defective materials and manufactures workmanship of the products.

SPECIFICATIONS


- R20B4872** - 4'x6'x2" - Wt. 144 lbs.
- R20B4242** - 3'x3'x2" - Wt. 100 lbs.
- R07F7272** - 6'x6'x3/4" - Wt. 100 lbs.
No bevel edge
- R20F3636** - 3'x3'x2" - Wt. 100 lbs.
No bevel edge

(SEE PG. 9 FOR AVAILABLE COLORS)



TIRE SWING MAT

- R20OCT4848** - 4' Beveled Octagon Wt. 125 lbs.
- R20OCT7272** - 6' Beveled Octagon Wt. 225 lbs.



SPINNER WEAR MAT

- R20BS4848** - 4' Beveled Octagon Wt. 125 lbs.
- R20BS7272** - 6' Beveled Octagon Wt. 225 lbs.

MERRY-GO-ROUND MAT

The Merry-Go-Round matting is designed to eliminate erosion around merry-go-rounds, whirls, and playground equipment.

- R20MGR612** - 4-piece fits 6-8' whirl
- R20MGR816** - 4-piece fits 10-12' whirl



(SEE PG. 9 FOR AVAILABLE COLORS)

PLAY PETS™

Add any one of our **Play Pet™** climbers to your park or playground, and watch your children enjoy hours of entertainment and enhance early childhood development skills.

Each **Play Pet™** is carefully packaged and shipped F.O.B. Piercetown, Indiana. Although it is not necessary to anchor these animals due to their weight, an anchoring system is included.

◀ **Frog****FR6002-1**

40"Lx44"Wx23"H Wt. 120 lbs.

Patent Pending

Turtle ▶**TU6002-1**

77"Lx40"Wx20"H Wt. 240 lbs.

Patent Pending

◀ **Crocodile****CR6002-1**

130"Lx50"Wx19"H Wt. 550 lbs.

Patent Pending

**Dolphin ▶****D06002-1**

102"Lx53"Wx24"H Wt. 450 lbs.

Patent Pending



(SEE PG. 9 FOR AVAILABLE COLORS)

▶ **Large****Large: DB6002-L**

56"Lx42"Wx30"H

Wt. 670 lbs.

Medium ▶**Medium: DB6002-M**

31"Lx26"Wx21"H

Wt. 185 lbs.

▼ **Small****Small: DB6002-S**

24"Lx12"Wx12"H

Wt. 50 lbs.



(SEE PG. 9 FOR AVAILABLE COLORS)

DYNABOULDER™

The **DynaBoulder™** climber is constructed of 100% recycled tire rubber. Its environmentally sound structure is ideal for parks or playgrounds, where children might climb or roughhouse.

Each **DynaBoulder™** comes carefully packaged and is shipped F.O.B. Piercetown, Indiana. Although it is not necessary to anchor these boulders due to their weight, an anchoring system is included.

**PRODUCT WARRANTY**

Play Pets™ and **DynaBoulders™** carry a 5 year limited product warranty against defective materials and manufactures workmanship of the product.

SOFT LANDING
PLAY TILES

We offer many options of indoor
and outdoor surfacing
solutions. Children will
enjoy many hours
of entertainment
and while our products
offer added safety.

SPECIFICATIONS

2'x2'x1 3/4" - R17T2424

4' Fall Protection
Transition Tile 8"x40"x 1 3/4"

2'x2'x2 1/2" - R17T2424

6' Fall Protection
Transition Tile 9"x40"x 2 1/2"

2'x2'x3" - R17T2424

8' Fall Protection
Transition Tile 10"x40"x 3"

PRODUCT
WARRANTY

Soft Landing Play Tiles carry a 5 year
limited product warranty against defective
materials and manufactures workmanship
of the product.



Piercetown Rubber Products, Inc.

Physical Properties

Test Description	Test Ref.	Results
Wear Resistant	ASTM D3884	Passed
Slip Resistant	ASTM F-1677	Passed
Non Flammable	ASTM 2859	Passed
Non Toxic	ASTM 2075	Lead: Not Detected



SEAMLESS
DYNASURFACING

Meets 4' to 10' Critical Fall Heights
per ASTM F-1292-04

- 1" Rubber Sub Base / 3/4" Top Coat EPDM
- 2" Rubber Sub Base / 3/4" Top Coat EPDM
- 3" Rubber Sub Base / 3/4" Top Coat EPDM
- 4" Rubber Sub Base / 3/4" Top Coat EPDM

DYNACURB
EDGING

- R4DC72** - 4"x4"x72" - Wt. 35 lbs.
- R8DC72** - 4"x8"x72" - Wt. 60 lbs.
- R12DC72** - 4"x12"x72" - Wt. 90 lbs.

DynaCurb edging is
manufactured from 100 %
recycled tire rubber and can
be installed straight or curved,
which replaces the traditional
landscape timbers. DynaCurbs
are used to minimize migration
of loose fill surfaces outside
the play zone.



E-Z BRICK

B10F4872 - 4'x6'x1" - Wt. 96 lbs.

DYNAMAT

R07F4872 - 4'x6'x3/4" - Wt. 100 lbs.

Safety Considerations

Each of our product descriptions includes ground space dimensions.

- Ground space is the amount of space required for an assembled unit.

When planning the space requirements for your playground, give careful consideration to the ground space dimensions and the use zone area. It is vital, for safety, that the entire zone be covered with a soft resilient surface. See U.S. Consumer Product Safety Commission Guidelines.

Merchandise, as received by you, should be carefully checked against the Freight Bill to be sure delivery of all items has been made.

1. Count the shipment and inspect for damage. If shipment is not delivered to you in good order and in accordance with the quantity shown on the Freight Bill of Lading, please note the shortage or damage on the Freight Bill before you sign for the shipment. Please contact your Pierceton Rubber Products, Inc. sales representative to advise the company of the shortage or damage.
2. As soon as possible after delivery, open all cartons and inspect for concealed damage. If you do have shortages or damage in cartons, please contact your representative's office immediately so replacements can be made.
3. Do not throw away your copy of the Freight Bill. Any damaged or missing pieces not signed for as such on the Freight Bill of Lading will be replaced at the replacement cost, and freight charges will be charged to deliver the merchandise to your site.
4. Please note that the driver is obligated to bring your merchandise to the end of the trailer. It may then be advisable to have someone on hand to assist in unloading the merchandise. Unless a lift gate was requested on your purchase order to Pierceton Rubber Products, Inc.

Terms

Freight: F.O.B. factory. Freight charges will be prepaid and added to invoice unless otherwise agreed.

Terms: Net 30 days to established customers. One percent service charge per month on all accounts after 30 days.

Taxes: Added to invoice except when tax exempt certificate is provided.

Returned Merchandise: Please obtain our permission before returning merchandise. A 20% handling charge, in addition to freight charges, is made on returned product.

Installation Instructions: Contact your Pierceton Rubber Products, Inc. customer service representative.

WEIGHTS IN CATALOG ARE FOR THE ITEM ONLY AND DO NOT INCLUDE PACKAGING MATERIALS. THEREFORE TOTAL WEIGHTS WILL VARY AND WILL BE DETERMINED AFTER THE ORDER IS PACKAGED FOR SHIPPING.

SPECIFICATIONS WERE CORRECT AT THE TIME OF PUBLICATION. PIERCETON RUBBER PRODUCTS, INC. RESERVES THE RIGHT TO CHANGE PRICES, SPECIFICATIONS OR DISCONTINUE PRODUCT WITHOUT NOTICE.

The Right Play Surface

It is very important to never install playground equipment over a hard surface, such as asphalt or concrete. Falls onto hard surfaces can result in serious injury. We do not recommend grass as a surface for use under playground equipment. Grass is subject to wear and can become hard when compacted. For the sake of safety, select a surface which meets the U.S. Consumer Products Safety Commission guidelines for surfaces under play equipment as outlined in A Handbook for Public Playground Safety. For a copy of the handbook, write to:
U.S. Consumer Product Safety Commission
Washington, D.C. 20207

COLORS AVAILABLE



5 YEAR WARRANTY

Subject to the following terms and conditions, Pierceton Rubber Products, Inc. (SELLER) warrants to the Buyer that the DynaCushion Wear Mat, Beveled Wear Mat, TireSwing Mat, Spinner Wear Mat, Merry-Go-Round Matting, PlayPet Climbers, DynaBoulder Climbers, SoftLanding PlayTiles, E-Z Brick Mat, DynaMat, Seamless DynaSurfacing or DynaCurb Edging sold to the Buyer will be free from manufacturing defects at the time of their delivery to the job site.

If, upon inspection by the Seller, the DynaCushion Wear Mat, Beveled Wear Mat, TireSwing Mat, Spinner Wear Mat, Merry-Go-Round Matting, PlayPet Climbers, DynaBoulder Climbers, SoftLanding PlayTiles, E-Z Brick Mat, DynaMat, Seamless DynaSurfacing or DynaCurb Edging evidences manufacturing defects, Seller's liability and Buyer's remedies are limited, at Seller's option, to the repair or replacement of the defective product at the F.O.B. point in the original contract of sale.

Seller further warrants that the DynaCushion Wear Mat, Beveled Wear Mat, TireSwing Mat, Spinner Wear Mat, Merry-Go-Round Matting, PlayPet Climbers, DynaBoulder Climbers, SoftLanding PlayTiles, E-Z Brick Mat, DynaMat, Seamless DynaSurfacing or DynaCurb Edging will not prematurely deteriorate to the point of failure because of weathering for a period of 5 years from the date of sale if properly installed, maintained and used for the purpose for which the Seller intended.

Buyer shall give Seller notice of a claim under this warranty within thirty (30) days of discovering the premature deterioration of DynaCushion Wear Mat, Beveled Wear Mat, TireSwing Mat, Spinner Wear Mat, Merry-Go-Round Matting, PlayPet Climbers, DynaBoulder Climbers, SoftLanding PlayTiles, E-Z Brick Mat, DynaMat, Seamless DynaSurfacing or DynaCurb Edging.

If, upon the inspection by the Seller, the product shows premature deterioration because of weathering within the five year period stated herein, Seller's liability and Buyer's remedies are limited at Seller's option to providing of repair material for the original DynaCushion Wear Mat, Beveled Wear Mat, TireSwing Mat, Spinner Wear Mat, Merry-Go-Round Matting, PlayPet Climbers, DynaBoulder Climbers, SoftLanding PlayTiles, E-Z Brick Mat, DynaMat, Seamless DynaSurfacing or DynaCurb Edging or credit to be applied toward purchase of the new product, the value of these remedies being determined by the Seller based upon the number of remaining months of the unexpired warranty used to pro-rate at the current price for the product. The maximum pro-rated value allowed by Seller for repair or credit shall not exceed the Original product purchase price.

NO REPRESENTATIVE OF THE SELLER HAS AUTHORITY TO MAKE ANY REPRESENTATIONS OR PROMISES EXCEPT AS STATED HEREIN.

THERE ARE NO WARRANTIES EITHER EXPRESSED OR IMPLIED, INCLUDING THE IMPLIED WARRANTIES OF MERCHANT ABILITY AND FITNESS FOR A PARTICULAR PURPOSE, WHICH EXTEND BEYOND THE WARRANTIES CONTAINED IN THIS DOCUMENT. PIERCETON RUBBER PRODUCTS, INC. SHALL NOT BE LIABLE FOR ANY INCIDENTAL, CONSEQUENTIAL OR OTHER DAMAGES TO THE STRUCTURE OR ITS CONTENTS ARISING UNDER ANY THEORY OF LAW WHATSOEVER.